

Google scholar

event\$ and "client application" and (transmit or

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)

Scholar

Articles and patents

anytime

include citations

Results 1 - 100 of about 7,470. (0.33 sec)

Did you mean: [event\\$ and "client application" and \(transmit or **communicate**\) and \(without or directly\) and server](#)

[A distributed graphics system for large tiled displays- •psu.edu \[PDF\]](#)

G Humphreys, P Hanrahan - Proceedings of the conference on Visualization'99: ..., 1999 - portal.acm.org
... draw the feathering polygons, and which **client application** to listen ... master thread must send one draw **event** to each ... and we will be able to **transmit** many fewer ...

[Cited by 160](#) - [Related articles](#) - [All 25 versions](#)

[Subcontract: A flexible base for distributed programming- •psu.edu \[PDF\]](#)

G Hamilton, JG Mitchell, ML Powell, 1993 - portal.acm.org
... The subcontract marshal operation is used by the stubs to **transmit** an object ... **client application** ... Another **event** that may befall our file object is that a client ...

[Cited by 181](#) - [Related articles](#) - [BL Direct](#) - [All 20 versions](#)

[The X window system- •rwth-aachen.de \[PDF\]](#)

RW Scheffler, J Gettys - ACM Transactions on Graphics (TOG), 1986 - portal.acm.org
... and their resolution in X. Section 8 deals with input **event** handling ... A **client application** and a ... per second (kb/s) will be needed, and to **transmit** and display ...

[Cited by 963](#) - [Related articles](#) - [All 14 versions](#)

[... system, method and article of manufacture for a client-server application enabler system](#)

SL Gish - US Patent 5,768,510, 1998 - Google Patents
... for **communicating** via a particular **communication** protocol. ... LIBRARY MESSAGE LIBRARY APPLICATION LOGIC **SERVER** 1560 1510 ... FUNCTION PE INFO 1730 PE **EVENT** HANDLER FIG ...

[Cited by 80](#) - [Related articles](#) - [All 4 versions](#)

[Automatic call distribution server for computer telephony communications](#)

KC Kelly - US Patent 5,999,965, 1999 - Google Patents
... 7,1999 [54] AUTOMATIC CALL DISTRIBUTION **SERVER** FOR COMPUTER TELEPHONY **COMMUNICATIONS** [75] Inventor: Keith C. Kelly, Deerfield Beach, Fla. ...

[Cited by 44](#) - [Related articles](#) - [All 2 versions](#)

[Context-aware mobile communication in hospitals](#)

MA Muñoz, M Rodríguez, J Favela, AI ... - Computer, 2003 - doi.ieeecomputersociety.org
... on the devices themselves to **transmit** data, which ... the action module triggers the **event** the user ... required to the context-aware **client application** that interacts ...

[Cited by 159](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

... **client application** on client if client is network terminal and initiating **client application** on ...

R Cowan, GP Eckley, PVR Panchangam, ... - US Patent 5,828,840, 1998 - Google Patents

... to the client terminal via the **client application** at the ... **Communications** Week, In

Brief; Amex 'Set' For Internet, Mar. ... the Internet; Industry Trend or **Event**, Feb ...

Cited by 27 - Related articles - All 3 versions

Client/server communication system

RR Bittinger, ML Fraenkel, BC Housel III, DB ... - US Patent 5,754,774, 1998 - Google Patents

... the **communication** between the **client application** in the ... and received from the

communication transmit- ted over ... received over the external **communication** link is ...

Cited by 50 - Related articles - All 7 versions

... over a wireless **communication** link between a client web browser and a host web **server** ...

RR Bittinger, ML Fraenkel, BC Housel III, DB ... - US Patent 5,867,661, 1999 - Google Patents

... APPARATUS OF USING VIRTUAL SOCKETS FOR REDUCING DATA TRANSMITTED OVER A WIRELESS

COMMUNICATION LINK BETWEEN A CLIENT WEB BROWSER AND A HOST WEB **SERVER** USING A ...

Cited by 15 - Related articles - All 2 versions

Flexible and recoverable interaction between applications and active databases- •kfupm.edu.sa [PDF]

EN Hanson, I Chen, R Dastur, K Engel, V ... - VLDB Journal, 1994 - eprints.kfupm.edu.sa

... The INGRES mechanism **transmits** the **event** notification to the ... If the handlerFunc is

null, the **client application** will poll ... is registered for an **event** with **DIRECT** ...

Cited by 12 - Related articles - View as HTML - All 8 versions

[PDF] •Transparent Remote File Access through a Shared Library Client

B Goglin, L Prylli - Proceedings of the International Conference on ... - Citeseer

... have designed a custom protocol to **transmit** these requests ... way for data to go from

client application buffers to ... M YRINET) and wait for the completion **event**. ...

Cited by 14 - Related articles - View as HTML - All 16 versions

... for remotely accessing an industrial control system over a commercial **communications** ...

AD Papadopoulos, A Tanzman, RA Baker Jr, ... - US Patent 6,061,603, 2000 - Google Patents

... is found, the buffer, then the driver drops the **transmit** message ... The **client application**

queues both an indication driver 56, it passes the request to ... If **event**. ...

Cited by 16 - Related articles - All 2 versions

ClusterProbe: an open, flexible and scalable cluster monitoring tool- •psu.edu [PDF]

Z Liang, Y Sun, CL Wang - Proc. IWCC - doi.ieeecomputersociety.org

... we have chosen to gather and **transmit** data using ... A **client application** could be a

parallel task that requests ... pre-formatting modules and global **event** management ...

Cited by 32 - Related articles - All 17 versions

A flexible and recoverable client/server database event notification system- •psu.edu [PDF]

EN Hanson, IC Chen, R Dastur, K Engel, V ... - The VLDB Journal, 1998 - Springer

... 1990) are used to help **transmit event** notifications from ... If an **event** is available,

it is returned. ... it is not necessary for the **client application** to actually ...

Cited by 6 - Related articles - All 6 versions

[PDF] •The implementation of a CORBA object group service

P Felber, R Guerraoui, A Schiper - Theory and Practice of Object Systems, 1998 - Citeseer
... is performed by a state transfer mechanism that **transmits** the state ... Hence, similarly to the CORBA **Event Service** 14], OGS provides ... 4. Group **Communication** in OGS ...
[Cited by 136](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 9 versions](#)

[PDF] •MONET: A multimedia system for conferencing and application sharing in distributed ...

K Srinivas, R Reddy, A Babadi, S Kamana, V ... - ... Center, West Virginia University, Morgantown, WV, 1992 - cerc.wvu.edu
... **X Client Application** ... Request **Event**, Reply and Error Data Packet ... The audio conference **server** uses a connectionless datagram service to **transmit** audio packets. ...
[Cited by 31](#) - [Related articles](#) - [View as HTML](#)

[PDF] •Securing the X Window system with SELinux

D Kilpatrick, W Salamon, C Vance - NAI Labs. Available at <http://www.nsa.gov/selinux/x11> ..., 2003 - nsa.gov
... are manipulated explicitly by the **client application** and the ... could be used to **transmit** information between ... applications access to input **events** by controlling ...
[Cited by 29](#) - [Related articles](#) - [View as HTML](#) - [All 27 versions](#)

... interactive application data between a client and a server using markup language

DC Mitchell, B Walters, D Mitchell - US Patent 6,356,933, 2002 - Google Patents
... received from the AISP **Transmit** state changes ... of the user interface rendering, **event** handling, and ... the user's experience with the **client application** is similar ...
[Cited by 3](#) - [Related articles](#) - [All 7 versions](#)

... for optimal multiplexed message aggregation between client applications in client-server ...

G Seitz - US Patent 5,805,823, 1998 - Google Patents
... APPLICATIONS IN CLIENT-SERVER NETWORKS [75 ... [73] Assignee: Wayfarer **Communications**, Inc., Mountain View ... Each **client application** effectively, simultaneously, send ...
[Cited by 16](#) - [Related articles](#) - [All 2 versions](#)

Apparatus for controlling internetwork communications

AG Swales - US Patent 6,760,782, 2004 - Google Patents
... of ensuring that a real-time **event** will be ... buffer, then the driver drops the **transmit** message ... The **client application** queues both an indication request on queue ...
[Cited by 7](#) - [Related articles](#) - [All 7 versions](#)

Client/server system in which protocol caches for multiple sessions are selectively copied ...

BC Housel III, IB Shields - US Patent 5,907,678, 1999 - Google Patents
... CORRESPONDING CHECKPOINT CACHE t **TRANSMIT** CONFIRMATION WITH ... **communication** link between a **client application** at a ... speed or wireless **communication** system **without** ...
[Cited by 6](#) - [Related articles](#) - [All 2 versions](#)

[PDF] •Measuring the impact of event dispatching and concurrency models on web server ...

JC Hu, I Pyarali, DC Schmidt - GLOBECOM-NEW YORK-, 1997 - Citeseer
... Through GUI interactions, the **client application** user instructs the ... Figure 7: Asynchronous **Event** Dispatching (Windows NT ... by locating the file to **transmit** to the ...
[Cited by 121](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 22 versions](#)

... application server for providing applications on a variety of client devices in a client/server ...

A Shaw, KR Burgess, JM Pullan, PC ... - US Patent 6,362,836, 2002 - Google Patents

... Draw a series of characters **without** background Draw a ... This **communication** causes the launch of an instance of ... engines and display engine processes **transmit** 5 to ...

Cited by 13 - Related articles - All 2 versions

Method and apparatus for selecting an internet/PSTN changeover server for a packet based ...

M Mirashrafi, JD Elliott, MF Buondonno, KL ... - US Patent App. 09/823,211, 2001 - Google Patents

... real-time data, the ability to **transmit** packets and ... The Push-To-Talk™ **event** notification includes identification ... 102 in the form of a **client application**. ...

Cited by 37 - Related articles - All 8 versions

[PDF] •The Broker Architectural Framework

M Stal - Object-Oriented Programming Systems, Languages and ..., 1995 - Citeseer

... main **event** loop ... The **client application** is started. ... Some implementations do not **transmit** messages via the broker so as to increase the performance of the whole ...

Cited by 12 - Related articles - View as HTML - All 14 versions

Designing the communications infrastructure of groupware systems- •uchile.cl [PDF]

SF Ochoa, LA Guerrero, DA Fuller, O Herrera - Lecture Notes in Computer Science, 2002 - Springer

... The channel **transmits**/receives the messages to/from an ... to it is carried out through a **client application**. ... the channel, **without** going through the **event** handler. ...

Cited by 4 - Related articles - BL Direct - All 7 versions

[PDF] •The direct access file system

M DeBergalis, P Corbett, S Kleiman, A Lent, D ... - unix.org

... DAFS also uses RDMA to **transmit** bulk data **directly** ... RDMA write **directly** into the **client's** **application** buffer ... A scalable and explicit **event** delivery mechanism for ...

Cited by 52 - Related articles - All 8 versions

[PDF] •DCE: An environment for secure client/server computing

MM Kong - Hewlett-Packard Journal, 1995 - hpl.hp.com

... 3 describes the flow of **events** that occur when ... used in arrays or structures to **transmit** opaque data ... or via a configuration file, and **client application** code can ...

Cited by 9 - Related articles - View as HTML - BL Direct - All 5 versions

Application dispatcher for seamless, server application support for network terminals and ...

GP Eckley, RM Cowan, PVR Panchangam - US Patent 6,163,797, 2000 - Google Patents

... If the client is not a network terminal, then the application dispatcher initiates a **client application** in the **server** to service the client terminal ...

Cited by 5 - Related articles - All 2 versions

Data buffering technique in computer system

AR Saxena, GW Wilhelm Jr - US Patent 5,893,926, 1999 - Google Patents

... before being available to the **client application** from the ... avoiding some of the foregoing **events** during run ... A combined **transmit** and implications adapter and the ...

Cited by 4 - Related articles - All 2 versions

[PDF] •An accelerated remote graphics architecture for PDAS

F Lamberti, C Zunino, A Sanna, A Fiume, M ... - Proc. the 8th International Conference on 3D Web ..., 2003 - Citeseer
... Figure 2: Screenshot of the PDA-based **client application** showing the ... When a new **event** is generated by the ... It provides 4 receive and 2 **transmit** time-slots ...
[Cited by 38](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

... and method for data transfers through software agents using client-to-server and peer-to ...

JL Nieten - US Patent 5,944,783, 1999 - Google Patents
... **Event** driven software tends to be more "modular" than ... For example, a **client application** may randomly generate 60 a ... that ask the web **server** to **transmit** a 10 ...
[Cited by 16](#) - [Related articles](#) - [All 2 versions](#)

...-oriented system, method and article of manufacture for a client-server session web access ...

SL Gish - US Patent 6,052,711, 2000 - Google Patents
... 2300 UI->Model MAP (receiveCB) **Event** Handler PEInfo ... createMessageHandlersQ
InitializeApplicationQ Description Sets **server Communication** Library properties ...
[Cited by 16](#) - [Related articles](#) - [All 4 versions](#)

[PDF] •An Instant Message-Driven User Interface Framework for Thin Client Applications

M Book, V Gruhn, G Mucke - 21st IEEE/ACM International Conference on Automated ..., 2006 - ebus.informatik.uni-leipzig.de
... **server** may also send such an **event** on his ... can suspend work with the thin **client application** (both voluntarily ... on the frame buffer level to **transmit** any graphical in ...
[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

...-oriented system, method and article of manufacture for a client-server communication ...

SL Gish - US Patent 6,424,991, 2002 - Google Patents
... 23,2002 (54) OBJECT-ORIENTED SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR A
CLIENT-SERVER COMMUNICATION FRAMEWORK (75) Inventor: Sheri L. Gish, Mountain View ...
[Cited by 4](#) - [Related articles](#) - [All 4 versions](#)

[PDF] •... conversational multimedia interfaces for accessing network services across communication ...

G Di Fabbrizio, S Narayanan, P Ruscitti, C ... - IEEE International Conference on Multimedia and Expo ..., 2000 - Citeseer
... network protocol specification used to **transmit** ECTF S ... A **client application** may use either a synchronous or ... terminate a command correctly, **event** priorities are ...
[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

Object-oriented system, method and article of manufacture for migrating a client-server ...

SL Gish - US Patent 6,272,556, 2001 - Google Patents
... for **communicating** via a particular **communication** protocol to a ... LIBRARY MESSAGE LIBRARY APPLICATION LOGIC **SERVER** 1560 1510 ... INFO FIG-17 1730 PE **EVENT** HANDLER PE ...
[Cited by 3](#) - [Related articles](#) - [All 4 versions](#)

Communication system

Y Nakata, S Matsui, Y Takahashi, T Kondou, Y ... - US Patent 5,854,841, 1998 - Google Patents
... **communication** between application programs **without** addition of ... is transferred to the **communication** program. ... r< <title GetMessageQ, 1125 **Event** PROCESSING -1325 ...
[Cited by 3](#) - [Related articles](#) - [All 3 versions](#)

[PS] •Measuring thin-client performance using slow-motion benchmarking

SJ Yang, J Nieh, N Novik - usenix.org

... designed specifically to run the **client application** or simply a ... it ensures that display **events** reliably complete ... update takes longer to **transmit**, resulting in ...

Cited by 66 - Related articles - Cached - BL Direct - All 31 versions

Personnel and asset tracking method and apparatus

DJ Ulrich, ME Wagener, S Patel, JJ Schmid, ... - US Patent App. 10/980,689, 2004 - Google Patents

... If either monitoring system loses **communication** with the central **server** it will store location updates to **transmit** when **communication** is restored. ...

Cited by 8 - Related articles - All 7 versions

... generating device, a three-tier client/server system, and a medium storing a communication ...

T Ueda - US Patent 6,343,332, 2002 - Google Patents

... TO GATEWAY OBJECT GATEWAY OBJECT **TRANSMITS** CONTENTS OF ... a process in response to an **event** occurring with ... between relevant twos of a **client application**, a 3fl of ...

Cited by 8 - Related articles - All 2 versions

A framework for prototyping J2EE replication algorithms- •psu.edu [PDF]

O Babaoglu, A Bartoli, V Maverick, S Patarin, ... - LECTURE NOTES IN COMPUTER SCIENCE, 2004 - Springer

... It may choose to pass the **event** on to the ... between the servers in a cluster, and **transmit** a set ... the other part, in a configurable **client application** that uses ...

Cited by 17 - Related articles - BL Direct - All 6 versions

[PDF] •Scalability of content-aware server switches for cluster-based Web information systems

M Andreolini, M Colajanni, M Nuccio - Proc. of 12th Int'l World Wide Web Conf.(WWW2003) - uzh.ch

... remain transparent to both the user and the **client application**. ... already transferred TCP connections and **transmit** them to ... This **event** means that a TCP port has ...

Cited by 20 - Related articles - View as HTML - All 7 versions

... -oriented system, method and article of manufacture for a client-server session manager in ...

SL Gish - US Patent 5,848,246, 1998 - Google Patents

... segments resident on the **server** which execute on the **server** in response ... client computer code segment for **communicating** via a particular **communication** protocol. ...

Cited by 43 - Related articles - All 2 versions

Event-triggered notification over a network

M Gupta, N Modani, PA Mittal - US Patent 6,763,384, 2004 - Google Patents

... mail **server** to the **client application** uses either ... messages that need to be **transmit**- ^ are currentl ... Devices In another embodiment, **event-triggered** notification ...

Cited by 2 - Related articles - All 2 versions

Common channels for inter-application communications

JP Brechtel, G La Buhn - US Patent 5,748,962, 1998 - Google Patents

... Many Shared Memory—to **transmit** the data. ... If a response to the original sender (**client application**) is needed, the same ... 3 shows a typical sequence of **events**. ...

Cited by 5 - Related articles - All 2 versions

Method and apparatus for establishing **communications** from browser application

SD Mattaway, GW Hutton, BD Noe, SM ... - US Patent 6,275,490, 2001 - Google Patents
... 024,251 entitled System and Methods for Point-to-Point **Communications** over a ... 08/719,894,
entitled **Directory Server** For Providing Dynamically Assigned Net- work ...
[Cited by 6](#) - [Related articles](#) - [All 2 versions](#)

[PDF] •Heterogeneous and Converged World

W Kellerer, C Bettstetter, C Schwingschögl, ... - IEEE Personal **Communications**, 2001 - macbruegge8.informatik.tu-muenchen.de
... about restaurants, shops, cultural **events**, and the ... T) provide mechanisms to **transmit**
broadband information ... format supported by the **client application** or client ...
[Cited by 26](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 16 versions](#)

Method and system for establishing secure **communication** over computer networks

CA Jardin - US Patent 6,671,810, 2003 - Google Patents
... The initiating **event** can be a request for ... the remote **client application**, and then
transmit the selected ... be executed at the remote **client application** and linked ...
[Cited by 3](#) - [Related articles](#) - [All 2 versions](#)

[PDF] •Modelling application handovers for thin-client mobility

P Simoens, L Deboosere, D De Winter, F De ... - Proceedings of The 2006 International Conference on ..., 2006 - Citeseer
... other problems arise when migrating a thin-**client application**. ... delay Δ time to
checkpoint, **transmit** and restart ... by **server 1**. The first **event directly** sent to ...
[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

Integrated data **communication** and data access system including the application data ...

P Jain, S Ahmed - US Patent 6,073,139, 2000 - Google Patents
... 57) ABSTRACT An integrated data **communication** and data ... 26c2 38 DISTRIBUTION PROTOCOL
(INTERESTS) **CLIENT APPLICATION** 2 40 ... App1 REGISTERS INTEREST IN **EVENT "X" L** ...
[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

... method and article of manufacture for a client-**server event** driven message framework in ...

SL Gish - US Patent 6,304,893, 2001 - Google Patents
... ARTICLE OF MANUFACTURE FOR A **CLIENT-SERVER EVENT** DRIVEN MESSAGE ... which execute on the
server in response ... for **communicating** via a particular **communication** protocol ...
[Cited by 12](#) - [Related articles](#) - [All 4 versions](#)

Implementing a Physician's Workstation using client/**server** technology and the distributed ... - •nih.gov [PDF]

TQ Pham, CY Young, PC Tang, HJ Suermondt, ... - Proceedings of the Annual Symposium on Computer ..., 1994 - pubmedcentral.nih.gov
... a much lighter work load, the **event** service now ... the result, other threads in the
client application can still ... By using RPC to **transmit** data between client and ...
[Cited by 1](#) - [Related articles](#) - [BL Direct](#) - [All 2 versions](#)

... computing system using pseudo **server** process to allow input from different **server** ...

DB Berkowitz, MC Hao, HC Lieu, FD Snow - US Patent 5,392,400, 1995 - Google Patents
... The **communication** protocol. ... group using a sophisti- cally uses to **transmit** and receive ...
All invitees must Also, WinColl receives replies and **events** from the be ...

[Cited by 89](#) - [Related articles](#) - [All 2 versions](#)

[A generic multicast transport service to support disconnected operation- •kfupm.edu.sa \(PDF\)](#)

S Maffei, W Bischofberger, KU Mätzel - Wireless Networks, 1996 - Springer

... **client application**: // SimpleApi gts; Message request, reply; request ... Fred) creates, packages, **transmits**, and applies ... GTS into a Corba **event** channel service ...

[Cited by 28](#) - [Related articles](#) - [All 14 versions](#)

[Dual ethernet protocol stack for maximum speed access to a programmable logic controller ...](#)

AD Papadopoulos, A Tanzman, RH Naismith - US Patent 6,587,884, 2003 - Google Patents

... The **client application** queues both an indication Protocol of ... calls the application's examines the **transmit** queue, and ... a socket number, a task ID, and an **event**. ...

[Cited by 4](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] •A client/server architecture for distributed workflow management systems](#)

H Schuster, S Jablonski, T Kirsche, C Bussler - Proc. of Third Int'l. Conf. on Parallel and Distributed ..., 1994 - Citeseer

... start}, ... add(TCP, {start}, ... user **event** ask_for(TCP ... The second task **transmits** the request to ... transparent to the implementor of the **client application**. ...

[Cited by 38](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[Internet web interface including programmable logic controller for controlling output devices ...](#)

AG Swales, R Naismith, R Breinlinger, RA ... - US Patent 6,151,625, 2000 - Google Patents

... the Ethernet driver 48 examines the **transmit** queue, and ... The **client application** queues both an indication request on ... a socket number, a task ID, and an **event**. ...

[Cited by 9](#) - [Related articles](#) - [All 2 versions](#)

[Distributed 3D Information Visualization—Towards Integration of the Dynamic 3D Graphics ...](#)

D Vucinic, D Deen, E Oanta, Z Batarilo, C ... - Advances in Computer Graphics and Computer Vision: ..., 2007 - Springer

... a 2D map; also capable of **event** generation (**transmits** the area ... are capable of sorting the **event** stack (see ... to integrate it into the **client application** part of ...

[Cited by 1](#) - [Related articles](#) - [All 3 versions](#)

[... in a client/server database system using pseudo-database server and debugger processes](#)

T Eto, T Yoshizawa, K Shiga - US Patent 5,561,763, 1996 - Google Patents

... 1, 1996 [54] METHOD AND APPARATUS FOR TESTING AN APPLICATION IN A CLIENT/SERVER DATABASE SYSTEM USING PSEUDO-DATABASE **SERVER** AND DEBUGGER PROCESSES [75 ...

[Cited by 17](#) - [Related articles](#) - [All 2 versions](#)

[Enterprise server for communication for a supervisory control and data acquisition \(SCADA\) ...](#)

DC Osburn III - US Patent 6,961,753, 2005 - Google Patents

... from at least one **client application** for specific ... of terminals to receive and **transmit communications** to a ... Other software packages can **communicate** with the RTU ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] •Mockets: A novel message-oriented communication middleware for the wireless internet](#)

M Tortonesi, C Stefanelli, N Suri, M Arguedas ... - ... Conference on Wireless Information Networks and ..., 2006 - mockets.ihmc.us

... notify the applications when the registered **events** occur ... The **client application**

generates an update message at a frequency of 1 Hz and **transmits** it to ...

[Cited by 12](#) - [Related articles](#) - [View as HTML](#)

[PDF] •A trusted network model using the lightweight directory access protocol

DC Vasiladis, GE Rizos, E Stergiou, SV ... - ... on Applied Informatics and **Communications**-Volume 7, 2007 - wseas.us

... In the **event** of a query, the **server** either ... If the **client application** is attempting to modify information an ... DHCP, and the RADIUS servers **transmit** requests for ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[PDF] •A Low Overhead Application/Device-driver Interface for User-level Networking

D Riddoch, S Pope, E Cambridge - International Conference on Parallel and Distributed ..., 2001 - Citeseer

... immediately available, and on the **transmit** side before ... onto a single asyn- chronous **event** queue for ... The **client application** makes one or more connections to the ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

Client application program mobilizer

WJ Gauvin, R Cheung, KP Brosnan, EJ ... - US Patent 5,790,800, 1998 - Google Patents

... In addition, it the **communication** connection between the client ... is desired to allow a **client application** to operate ... of the LAN or environment **without** re-design ...

[Cited by 23](#) - [Related articles](#) - [All 2 versions](#)

Web interface to a programmable controller

AD Papadopoulos, A Tanzman, RA Baker, RG ... - US Patent App. 09/738,445, 2000 - Google Patents

... buffer, then the driver drops the **transmit** message ... The **client application** queues both an indi- cation request on queue ... a socket number, a task ID, and an **event**. ...

[Cited by 7](#) - [Related articles](#) - [All 8 versions](#)

[PDF] •Application sharing in teaching context with wireless networks

C Burger, S Papakosta, K Rothermel - Proceedings World Congress NETWORKED LEARNING IN A ..., 2002 - ias.uni-stuttgart.de

... By **transmit**- ting audio and video from lectures to ... (**client**) **Application** (client part)

Floor control ... purposes: informing latecomers about past **events** and data ...

[Cited by 12](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[PDF] •An architecture for group **communications-support networked multimedia applications**

J Zissopoulos, J Soldatos, E Vayias, G Branis, ... - ... -Performance **Communication** Systems, 1997.(HPCS'97 ..., 1997 - Citeseer

... not target at supporting large distributed **events**, where the ... The **Client application** is executed on the workstations of ... for users that cannot **transmit** (but only ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

[PDF] •Acceptor and connector

DC Schmidt - Pattern Languages of Program Design - Citeseer

... mode endpoints used by Service Handler's to **transmit** data between ... not im- portant and if the **client application** must perform ... **START EVENT LOOP FOREACH EVENT DO ...**

[Cited by 7](#) - [Related articles](#) - [View as HTML](#) - [All 28 versions](#)

... data-object format and asynchronous **communication** methods without the use of a markup ...

GP Patrude - US Patent App. 11/164,051, 2005 - Google Patents

... [0088] (5) **Transmit** the textually ... be developed in other languages to **communicate** with or ... response processing techniques of the **client application** interface and ...

All 2 versions

Communications system for monitoring user interactivity

SJ Kammerer - US Patent App. 10/385,951, 2003 - Google Patents

... **transmits** the contact list to the **client application** via non ... B Proxy A **transmits** a session **event** to notify ... updates its presence database and **transmits** a presence ...

All 2 versions

Communication method between an http server and a client

D Mischler, V Crocitti, C Delaunay, 2003 - freepatentsonline.com

... is generated locally by its device, it **transmits this event** ... **server** use this **event** to inform a **client application** that an ... by the address given in the **event** body ...

All 2 versions

... AND SYSTEM FOR PURCHASING **EVENT** TICKETS USING A MOBILE **COMMUNICATION** ...

M Fisher... - US Patent App. 11/933,351, 2007 - Google Patents

... application that provides movie and **event** information. ... be a thin **client application** or hybrid **client application**. ... a connectionless protocol to **transmit** data to ...

All 2 versions

... readable medium and apparatus for providing a graphical user interface in a client-server ...

LJ Wood, JD Richards, ED Katz, AJ Rieger - US Patent App. 10/826,673, 2004 - Google Patents

... bars, display dialog boxes and **transmit** data for ... clicks the Log on button, **client application** 101 establishes ... a Begin Session command and **event** are exchanged ...

All 2 versions

... ARTICLE OF MANUFACTURE FOR SEAMLESS, **SERVER** APPLICATION SUPPORT OF ...

R Cowan, G ECKLEY, P PANCHANGAM, W ... - No.: WO/1998/006207, 1998 - freepatentsonline.com

... 741 which responds to the "first connection" **event** by requesting ID ... 1112 that is associated with the **client application** 822 which **transmits** an appropriate ...

All 4 versions

Data access, replication or communication system comprising a distributed software ...

L Wolovitz, M Gretton, B Standen - US Patent App. 10/553,721, 2004 - Google Patents

... often employ a methodology that **transmits** large amount of ... the contacts database (with **event** triggers from ... distributed client to continue **communication** with the ...

All 6 versions

Event notification over a communications network

A Garyfalos, T Burbridge, A Soppera, RJ ... - US Patent App. 10/496,067, 2002 - Google Patents

... Content distribution can also differ from **event** notification in ... other common method is to **transmit** continuously ... and do not use a secondary **communication** chan ...

All 6 versions

Communications management between client and server processes

S Kapoor, GM Alvis, 1996 - freepatentsonline.com

... physical devices and medium used to **transmit** information. ... would never succeed (unless the **client application** was comparing ... In the **event** that there is more than ...

[All 2 versions](#)

System and method for managing client requests in client-server networks

CA Jardin, S Schnetzler - US Patent 6,912,588, 2005 - Google Patents

... i **SERVER** PREPARES PACKETS FOR CLIENT **SERVER TRANSMITS** PACKETS TO ... to be terminated and the **client application** to be ... be caused by a variety of **events**, such as a ...

[Related articles](#) - [All 6 versions](#)

System and method for distributing a multi-client game/application over a communications ...

M Poulin - US Patent App. 10/162,438, 2002 - Google Patents

... appreciated, the positional, status and **event** information/data ... single cast describes a simple **communication** system dedicated ... **server** 14, 16, 18 **transmits** to the ...

[All 4 versions](#)

Client-server application partitioning with metering technique for distributed computing

EJ Lau, RG Menna, P Navare, T Nguyen, J ... - US Patent 6,832,380, 2004 - Google Patents

... OS API/Message •206 •207 **Client Application** OS API ... Call/Message\Jes **Transmit** Call/Message < **Communication** Module ... 1 1 1 1 **Server Communication** Module formats ...

[Related articles](#) - [All 2 versions](#)

Event interface for a carrier manager system

G Boucher, TA Carroll, JE Hasbani, K ... - US Patent 6,873,978, 2005 - Google Patents

... US 6,873,978 BI **EVENT** INTERFACE FOR A ... of resource intensive inter-process **communication** (IPC) mechanisms ... application (ie second **client application** 120) only ...

[All 2 versions](#)

Systems and methods for asynchronous processing of electronic shelf label communication ...

KW Hauk, GL Edwards - US Patent App. 10/157,676, 2002 - Google Patents

... As an example, when the **client application** 106 makes a ... the CBS manager 112 to **transmit** one or ... present invention provides for an **event** notification technique ...

[All 3 versions](#)

Server and method for computer communication for automatically performing and ...

E Lialiamoy, M Anapliotis, S Pachnis, 2006 - freepatentsonline.com

... The **events** are generated by a number of different ... The **server** also **transmits** at least a part of ... The **client application** has small footprint explained above.so as ...

[All 4 versions](#)

[PDF] •Using XML messages in communication between elements of the eLearning system

K Tokarz, P Jedrychowski - wseas.us

... main function is handling the **events** usually incoming ... **Communication** between **server** and **client application** is done ... The **server** can also **transmit** many streams ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

System and method for **communication** and mapping of business objects between mobile ...

GK Avery, RW Brouckman, JG Cleary, AI ... - US Patent App. 10/801,488, 2004 - Google Patents
... The **communication** module is configured to receive and **transmit** business objects between ... The mobile client device includes a thick **client application** in data ...
[All 2 versions](#)

System and method for controlling data **communications** between a **server** and a client ...

D Bajar, P Luk, MK Brown, D May - US Patent App. 11/346,255, 2006 - Google Patents
... data using a first key and **transmit** encrypted data to ... limited to, e-mail, calendar **events**, voice mails ... subsystem 122 pro- vides for **communication** between mobile ...
[All 4 versions](#)

A device for **communicating** data within a theatre

J Bert, A Gillissen, 2003 - freepatentsonline.com
... base station being provided to **transmit** said selected ... of theatre items relating to **events** running in ... possible to connect the **client application** module **directly** ...
[All 2 versions](#)

... video streaming to video enabled **communication** device, with **server** based processing and ...

R Benson, E Bolly, C Le Discorde, F Paquet, 2008 - freepatentsonline.com
... via a web browser or a **client application** to view ... receiving the notification of the **event**, the surveillance ... the video monitoring device, and **transmit** 517 the ...
[All 3 versions](#)

System and method for asynchronous **client server** session **communication**

SM van den Oord, MH Smit - US Patent App. 09/933,493, 2001 - Google Patents
... i ^ STOP 606 handle **event** 608 results in ... relates generally to client-**server** **communication** systems, and ... make information available to users **without** the complex ...
[All 4 versions](#)

Client/**server** system and button updating method for **client application**

Y Watanabe - US Patent App. 10/046,175, 2002 - Google Patents
... the **client application** to connect **directly** to newly ... provide a function of **communicating** with the ... button is operated, the **client application** **transmits** an update ...
[All 5 versions](#)

METHODS AND APPARATUS FOR DISPLAYING APPLICATION OUTPUT ON DEVICES ...

T Adachi - US Patent App. 10/709,581, 2004 - Google Patents
... and limited system resources **without** degradation in ... support commercial wireless **communication** ser- vices ... The **client application** **transmits** and receives http or ...
[All 6 versions](#)

System, method, and service for dynamically selecting an optimum message pathway

RG Deen, JH Kaufman, TJ Lehman - US Patent App. 11/139,799, 2005 - Google Patents
... same complex object (defined by the **client application**) via the ... to the infrastructure **server** in the **event** that the ... 15 and system 10 to **transmit** messages using ...
[All 2 versions](#)

[PDF] • DISTRIBUTED 3D INFORMATION VISUALIZATION

D Vucinic, D Deen, E Oanta, Z Batarilo, C ... - Citeseer

... Also capable of **event** generation (eg **transmit** the area ... are capable of sorting the **event** stack (see ... managed to integrate it into the **client application** part of ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

... for phone-number discovery and phone-number authentication for mobile communications ...

CB Zapata, DJ Shapiro - US Patent App. 11/732,508, 2007 - Google Patents

... operating system of an asynchronous **event**, such as an ... one scenario in which a **client application** program needs ... a remote **server** needs to **transmit** information not ...

[All 5 versions](#)

[PDF] • Flexible and Recoverable Interaction Between Applications and Active Databases

ENHIC Chen, R Dastur, KEVRC Xu - Citeseer

... The INGRES mechanism **transmits** the **event** notification to the ... If the handlerFunc is null, the **client application** will poll ... is registered for an **event** with **DIRECT** ...

[Related articles](#) - [View as HTML](#) - [All 6 versions](#)

Subcontract: A Flexible Base for- •kfupm.edu.sa [PDF]

G Hamilton, ML Powell, JG Mitchell - Distributed Computing. Symposium on Operating ..., 1993 - eprints.kfupm.edu.sa

... The subcontract marshal operation is used by the stubs to **transmit** an object ... **client application** ... Another **event** that may befall our file object is that a client ...

[Related articles](#) - [View as HTML](#)

[PDF] • Subcontract: A flexible base for distributed programming

GHMLP James, G Mitchell - Citeseer

... is used by the stubs to **transmit** an object to ... unmarshal any results and return them to the **client application**. Another **event** that may befall our file object is ...

[Related articles](#) - [View as HTML](#) - [All 13 versions](#)

System, game server, terminal, and method for game event notification in a multiplayer ...

A Nancke-Krogh, J Kuner, S Vedros, P Decker - US Patent App. 11/015,389, 2004 - Google Patents

... exem- plar configuration of a game **event** notification system ... respective entities, such as to **transmit** and/or ... As described herein, the **client application(s)** each ...

[All 6 versions](#)

System and method for securely communicating with a server

MS Brown, MK Brown, MG Kirkup - US Patent App. 11/427,561, 2006 - Google Patents

... to, e-mail, calendar **events**, voice mails ... and different systems or devices, **without** the use of ... The fixed transceiver equipment **transmits** communication signals to ...

[All 3 versions](#)


Did you mean to search for: [event\\$](#) and "client application" and (transmit or **communicate**) and (without or directly) and server

Google

Result Page:

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

[Next](#)

event\$ and "client application" and  Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google